

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	((fax or facsimile) near3 (receiv\$5) near4 (plural\$5 adj3 page)) same ((group\$3 or merg\$3) near4 (plural\$5 adj2 page) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:42
S2	0	((fax or facsimile) near3 (receiv\$5) near4 (plural\$5 adj3 (image))) same ((group\$3 or merg\$3) near4 (plural\$5 adj2 image) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:42
S3	0	((fax or facsimile) near3 (receiv\$5) near4 (plural\$5 adj3 (document))) same ((group\$3 or merg\$3) near4 (plural\$5 adj2 document) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S4	0	((fax or facsimile) near3 (receiv\$5) near4 (plural\$5 adj3 (document))) same ((group\$3 or merg\$3) near4 (plural\$5 adj2 document) near4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S5	0	((fax or facsimile) near3 (receiv\$5) near4 (plural\$5 adj3 (document))) same ((group\$3 or merg\$3) near4 (plural\$5 adj2 document) same file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43

S6	0	((fax or facsimile) near3 (receiv\$5) near4 (plural\$5 adj3 page)) same ((group \$3 or merg\$3) near4 (plural\$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S7	0	((fax or facsimile) same (receiv\$5) near4 (plural\$5 adj3 page)) same ((group \$3 or merg\$3) near4 (plural\$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S8	77	((fax or facsimile) same (receiv\$5) near4 (plural\$5 adj3 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:43
S9	2	((fax or facsimile) same (receiv\$5) near4 (plural\$5 adj3 page)) and ((group \$3 or merg\$3) near4 (plural\$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:44
S10	6	((fax or facsimile or mfp or ifax or multifunction\$5) same (receiv\$5) near4 (plural\$5 adj3 (image or document or page))) and ((group\$3 or merg \$3) near4 (plural\$5 adj2 (image or document or page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:45
S11	0	((fax or facsimile or mfp or ifax or multifunction\$5) same (receiv\$5) near4 (plural\$5 adj3 (image or document or page))) and ((group\$3 or merg \$3) near4 (plural\$5 adj2 (image or document or page))) and ((transmi\$7 or send\$3) with (((group \$3 or merg\$3) near4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:47

		(plural\$5 adj2 (image or document or page))))) same (mail or email or e- mail)				
S12	0	((fax or facsimile or mfp or ifax or multifunction\$5) same (receiv\$5) near4 (plural\$5 adj3 (image or document or page))) and (((group\$3 or merg \$3) near4 (plural\$5 adj2 (image or document or page))) and ((transmi\$7 or send\$3 or transfer\$5 or rout\$3) with (((group\$3 or merg \$3) near4 (plural\$5 adj2 (image or document or page))))) same (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:47
S13	0	((fax or facsimile or mfp or ifax or multifunction\$5) same (receiv\$5) near4 (plural\$5 adj3 (image or document or page))) and (((group\$3 or merg \$3) near4 (plural\$5 adj2 (image or document or page))) and ((transmi\$7 or send\$3 or transfer\$5 or rout\$3) same (((group\$3 or merg \$3) near4 (plural\$5 adj2 (image or document or page))))) same (mail or email or e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:48

S14	4	((fax or facsimile or mfp or ifax or multifunction\$5) same (receiv\$5) near4 (plural\$5 adj3 (image or document or page))) and ((group\$3 or merg \$3) near4 (plural\$5 adj2 (image or document or page))) and ((transmi\$7 or send\$3 or transfer\$5 or rout\$3) same (mail or email or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:48
S15	2	"6956663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/04 18:54
S16	1	"6956663".pn. and merg\$5 same page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:07
S17	1	"6956663".pn. and page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:08
S18	1	"6956663".pn. and page near3 document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:08
S19	1	"6956663".pn. and reception adj2 list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:09
S20	0	"6956663".pn. and st1402	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S21	1	"6956663".pn. and st402	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S22	0	"6956663".pn. and user with merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10

S23	0	"6956663".pn. and user same merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S24	0	"6956663".pn. and (prefer\$6 or setting or option or mode) same merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S25	1	"6956663".pn. and (prefer\$6 or setting or option or mode) same\$5 merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S26	1	"6956663".pn. and (prefer\$6 or setting or option or mode) same\$5 merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:10
S27	0	"6956663".pn. and (prefer\$6 or setting or option or mode) same\$2 merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S28	0	"6956663".pn. and (prefer\$6 or setting or option or mode) same\$3 merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S29	1	"6956663".pn. and (prefer\$6 or setting or option or mode) same\$4 merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S30	1	"6956663".pn. and merg\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:11
S31	1	"6956663".pn. and st401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:13
S32	1	"6956663".pn. and st1401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:14
S33	1	"6956663".pn. and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:15
S34	0	"6956663".pn. and separate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:16

S35	0	"6956663".pn. and divi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:16
S36	1	"6956663".pn. and st1407	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:17
S37	1	"6956663".pn. and st1408	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:17
S38	1	"6956663".pn. and attach\$67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S39	0	"6956663".pn. and attach\$6 with document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S40	1	"6956663".pn. and attach\$6 same document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:18
S41	0	"6956663".pn. and document adj2 file with page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S42	0	"6956663".pn. and document adj2 file same page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S43	1	"6956663".pn. and file same page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S44	1	"6956663".pn. and file near3 page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:19
S45	2	"6687742".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:42
S46	0	"6687742".pn. and ((single or one) near3 (ifd or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:44

S47	0	"6687742".pn. and ((merg\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:44
S48	1	"6687742".pn. and ((single or one))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:44
S49	0	((receiv\$5) near4 (plural\$5 adj3 page)) same ((transfer\$5 or rout\$3 or forward\$5) with (email or e-mail or mail)) same ((single or one) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:46
S50	0	((receiv\$5) near4 (page)) same ((transfer\$5 or rout \$3 or forward\$5) with (email or e-mail or mail)) same ((single or one) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:47
S51	0	((receiv\$5)) same (plural\$5 adj3 page) same ((transfer\$5 or rout\$3 or forward\$5) with (email or e-mail or mail)) same ((single or one) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:47
S52	0	((receiv\$5)) same (plural\$5 adj3 page) same ((transfer\$5 or rout\$3 or forward\$5) with (email or e-mail or mail)) same ((single or one or merg\$5) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:48
S53	0	((receiv\$5)) same (plural\$5 adj3 page) same1 ((transfer\$5 or rout\$3 or forward \$5) with (email or e- mail or mail)) same1 ((single or one or merg\$5) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:48

S54	85	((receiv\$5)) same (page) same1 ((transfer\$5 or rout \$3 or forward\$5) with (email or e-mail or mail)) same1 ((single or one or merg\$5) adj3 (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:48
S55	68	((receiv\$5)) same (page) same1 ((transfer\$5 or rout \$3 or forward\$5) with (email or e-mail or mail)) same1 (page with (single or one or merg\$5) with (file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:49
S56	40	S55 and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 16:52
S57	460	((transmi\$7 or send \$3) near3 (email or e-mail or (electronic adj2 mail))) same tiff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:04
S58	13	((transmi\$7 or send \$3) near3 (email or e-mail or (electronic adj2 mail))) same tiff and (tiff same (plural \$5 adj2 page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:04
S59	7	S58 and ((single or one) near3 tiff) same (plural\$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05
S60	0	S59 and ((multiple or plural\$5) near3 tiff) same (plural\$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05
S61	18	((single or one) near3 tiff) same (plural\$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05
S62	2	S61 and ((multiple or plural\$5) near3 tiff) same (plural\$5 adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:05

S63	32	((single or one near3 tiff) same ((multiple or plural \$5) adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:06
S64	13	S63 and ((multiple or plural\$5 or separate) near3 tiff) same ((multiple or plural \$5) adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:07
S65	13	S63 and ((multiple or plural\$5 or separate or unique) near3 tiff) same ((multiple or plural\$5) adj2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:07
S66	43	((single or one) near3 tiff) same ((multiple or plural \$5) adj2 (image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:09
S67	10	S66 and ((multiple or plural\$5 or separate or unique) near3 tiff) same ((multiple or plural\$5) adj2 (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:10
S68	42	((single or one) near3 (attachment)) same ((multiple or plural\$5) adj2 (image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:13
S69	14	S68 and ((multiple or plural\$5 or separate or unique) near3 attachment) same ((multiple or plural \$5) adj2 (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:14
S70	4	S69 and (page with (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:14
S71	5	S69 and (page same (document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:15

S72	10	S69 and ((email or e-mail or (electronic adj3 mail)) near3 attach\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:16
S73	10	S69 and ((email or e-mail or (electronic adj3 mail)) near5 attach\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:16
S74	60	((single or one) near3 (attachment)) same ((multiple or plural\$5) adj2 (page or picture or image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:16
S75	22	S74 and ((multiple or plural\$5 or separate or unique) near3 attachment) same ((multiple or plural \$5) adj2 (page or picture or document or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:17
S76	12	S75 and ((email or e-mail or (electronic adj3 mail)) near5 attach\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:17
S77	14	S75 and ((email or e-mail or (electronic adj3 mail)) same attach\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:17
S78	82	((single or one) near3 (file)) same attach\$6 same ((multiple or plural \$5) adj2 (page or picture or image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:18
S79	41	S78 and ((multiple or plural\$5 or separate or unique) near3 (file)) same attach\$6 same ((multiple or plural\$5) adj2 (page or picture or image or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:19
S80	17	S79 and ((email or e-mail or (electronic adj3 mail)) same attach\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:19

S81	10	S80 and (user with attach\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:24
S82	16	"6078921" and (user with attach\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:25
S83	0	"6078921.pn" and (user with attach\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:25
S84	13	S79 and ((email or e-mail or (electronic adj3 mail)) same attach\$6) and (fax or facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/12 17:30
S85	454	((receiv\$5) near3 (e-mail or mail or email)) same (body) same (attach\$6 near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:12
S86	62	S85 and ((transfer\$5 or forward\$5) near3 (e-mail or mail or email)) same (body) same (attach\$6 near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:14
S87	0	S86 and ((option\$5 or mode or configur \$6) same ((transfer \$5 or forward\$5) near4 (only) near4 (body or (attach\$6 near4 (file or image or picture))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:16
S88	0	S86 and ((option\$5 or mode or configur \$6) same ((transfer \$5 or forward\$5) near4 (only or just) near4 (body or (attach\$6 near4 (file or image or picture))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:16

S89	1	S86 and ((option\$5 or mode or configur\$6) same ((transfer\$5 or forward\$5) near4 (body)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:16
S90	21	S86 and ((option\$5 or mode or configur\$6) same ((transfer\$5 or forward\$5) near4 (attach\$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:17
S91	1	S86 and ((option\$5 or mode or configur\$6) same ((transfer\$5 or forward\$5) near4 (text\$5 or body)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:17
S92	46	S85 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5) same ((transfer\$5 or forward\$5) near4 (attach\$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:23
S93	4	S92 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5) same ((transfer\$5 or forward\$5) near4 (body or text\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:24
S94	2606	((receiv\$5 or transfer\$5 or forward\$5) near3 (e-mail or mail or email)) same (body or text\$5 or message) same (attach\$6 near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:27
S95	2737	((receiv\$5 or transfer\$5 or forward\$5) near3 (e-mail or mail or email)) same (body or text\$5 or message) same ((insert\$6 or append\$5 or attach\$6) near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:28

S96	2796	((receiv\$5 or transfer \$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) same (body or text \$5 or message) same ((insert\$6 or append\$5 or attach \$6) near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:28
S97	297	S96 and ((option\$5 or mode or configur \$6 or select\$5 or choos\$3 or designat \$5) same ((transfer \$5 or forward\$5 or rout\$3) near4 (append\$5 or insert \$5 or attach\$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:29
S98	704	S96 and ((option\$5 or mode or configur \$6 or select\$5 or choos\$3 or designat \$5) same ((transfer \$5 or forward\$5 or rout\$3) near4 (append\$5 or insert \$5 or attach\$7 or image or picture or file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:29
S99	359	S98 and ((option\$5 or mode or configur \$6 or select\$5 or choos\$3 or designat \$5) same ((transfer \$5 or forward\$5 or rout\$3) near4 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:30
S100	225	S96 and ((option\$5 or mode or configur \$6 or select\$5 or choos\$3 or designat \$5) same (only or just or without) same ((transfer\$5 or forward\$5 or rout\$3) near4 (append\$5 or insert\$5 or attach\$7 or image or picture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:30

		(or file)))				
S101	68	S100 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5) same (only or just or without) same ((transfer\$5 or forward\$5 or rout\$3) near4 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:31
S102	38	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5) same ((transfer\$5 or forward\$5 or rout\$3) near4 (only or just or without) near4 (append\$5 or insert\$5 or attach\$7 or image or picture or file)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:42
S103	7	S102 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5) same ((transfer\$5 or forward\$5 or rout\$3) near4 (only or just or without) near4 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 08:55
S104	19	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same (without near4 (body or text\$5 or message)) same ((transfer\$5 or forward\$5 or rout\$3) near4 (append\$5 or insert\$5 or attach\$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:02

S105	9	S104 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same (without near4 (append\$5 or insert\$5 or attach\$7 or image or picture)) same ((transfer\$5 or forward\$5 or rout\$3) near4 (body or text \$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:02
S106	25	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((delet\$5 or remov\$3 or purg\$3) near4 (body or text \$5 or message)) same ((transfer\$5 or forward\$5 or rout\$3) near4 (append\$5 or insert\$5 or attach\$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:06
S107	4	S106 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((delet\$5 or remov\$3 or purg\$3) near4 (append\$5 or insert\$5 or attach\$7 or image or picture)) same ((transfer\$5 or forward\$5 or rout\$3) near4 (body or text \$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:14

S108	25	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((delet\$5 or remov\$3 or purg\$3 or eras\$5) near4 (body or text\$5 or message)) same ((transfer\$5 or forward\$5 or rout\$3) near4 (append\$5 or insert\$5 or attach\$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:14
S109	10	S108 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((delet\$5 or remov\$3 or purg\$3) near4 (append\$5 or insert\$5 or attach\$7 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:15
S110	45	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((extract\$5) near4 (body or text\$5 or message)) same ((transfer\$5 or forward\$5 or rout\$3) near4 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:19
S111	5	S110 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((extract\$5) near4 (inser\$6 or append\$5 or attach\$6 or image or picture)) same ((transfer\$5 or forward\$5 or rout\$3) near4 (inser\$6 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:20

		append\$5 or attach\$6 or image or picture)))				
S112	20	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 portion near4 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:25
S113	3	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 portion near4 (insert\$6 or append\$5 or attach\$6 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:25
S114	46	S96 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 (section or part or portion) near2 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:27
S115	1	S114 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 (section or part or portion) near2 (insert\$6 or append\$5 or attach\$6 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:28

S116	35	S114 and ((option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 (inser\$6 or append\$5 or attach\$6 or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:28
S117	11	S96 and ((user or sender or originator) near3 (option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 (section or part or portion) near2 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:45
S118	17	S96 and ((user or sender or originator or receiver or recipient) near3 (option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 (section or part or portion) near2 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:46
S119	5	S96 and ((user or sender or originator or receiver or recipient) near3 (option\$5 or mode or configur\$6 or select\$5 or choos\$3 or designat\$5 or preferr\$6) same ((transfer\$5 or forward\$5 or rout\$3) near4 (section or part or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:46

		portion) near2 (image or picture or attach\$6 or insert\$5 or append\$6)))				
S120	2808	((receiv\$5 or transfer \$5 or forward\$5 or route or routing or routed or relay\$5) near3 (e-mail or mail or email)) same (body or text\$5 or message) same ((inser\$6 or append \$5 or attach\$6) near4 (file or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:50
S121	20	S120 and ((user or sender or originator or receiver or recipient) near3 (option\$5 or mode or configur\$6 or select \$5 or choos\$3 or designat\$5 or preferr \$6) same ((transfer \$5 or forward\$5 or rout\$3 or relay\$5) near4 (only or just or section or part or portion) near2 (body or text\$5 or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:51
S122	12	S120 and ((user or sender or originator or receiver or recipient) near3 (option\$5 or mode or configur\$6 or select \$5 or choos\$3 or designat\$5 or preferr \$6) same ((transfer \$5 or forward\$5 or rout\$3 or relay\$5) near4 (only or just or separat\$5 or without or exclu\$6 or section or part or portion) near2 (image or picture or attach\$6 or insert\$5 or append \$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:52

S123	1	S121 and S122	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:52
S124	2	"6157706".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:56
S125	2	"6658456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 09:58
S126	1	"6658456".pn. and (only near3 (append \$5 or gif or xdb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:12
S127	1	"6658456".pn. and (only near3 (receiv \$5 or append\$5 or gif or xdb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:13
S128	1	"6658456".pn. and (only near3 (transfer \$5 or receiv\$5 or append\$5 or gif or xdb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:14
S129	0	"6658456".pn. and (image adj2 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:23
S130	0	"6658456".pn. and (image near2 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:34
S131	2	"6658456".pn. and (content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:34
S132	2	"6658456".pn. and (detect\$5 same content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:34
S133	0	"6658456".pn. and "1008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:35

S134	1	"6658456".pn. and "st1008"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:35
S135	1	"6658456".pn. and "st1015"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:35
S136	0	"6658456".pn. and "st1010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:36
S137	0	"6658456".pn. and without near2 main	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:43
S138	0	"6658456".pn. and without near8 main	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:43
S139	0	"6658456".pn. and without near8 body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 10:43
S140	1	"6956663".pn. and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:51
S141	1	"6956663".pn. and st1401	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:54
S142	1	"6956663".pn. and st1407	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:54
S143	1	"6956663".pn. and transmi\$5 with merg \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:55
S144	1	"6956663".pn. and attach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:55
S145	1	"6956663".pn. and attach\$5 same document	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 11:55

S146	0	"6956663".pn. and customi\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:05
S147	2	"6956663".pn. and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:05
S148	0	"6956663".pn. and user with format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:05
S149	1	"6956663".pn. and destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:06
S150	0	"6956663".pn. and destination with email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:07
S151	1	"6956663".pn. and destination with e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:07
S152	2	"6658456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:23
S153	1	"6658456".pn. and (internet same (fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:36
S154	0	"6658456".pn. and (internet same "30")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:41
S155	0	"6658456".pn. and (internet same "44")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:41
S156	1	"6658456".pn. and (internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:41
S157	1	"6658456".pn. and main adj2 part	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 12:55

S158	0	"6658456".pn. and only near2 append \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:00
S159	1	"6658456".pn. and only near5 append \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:00
S160	9	((transfer\$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) same ((transfer\$5 or forward\$5 or route or routing or routed) near4 only near4 ((append\$5 or attach \$6) near4 (file or image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:15
S161	1	((transfer\$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) same ((transfer\$5 or forward\$5 or route or routing or routed) near4 ((append\$5 or attach\$6) near4 (file or image or picture))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:17
S162	1	((transfer\$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) same1 ((transfer\$5 or forward\$5 or route or routing or routed) near4 ((append\$5 or attach\$6) near4 (file or image or picture))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:18

S163	1	((transfer\$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) same1 ((transfer\$5 or forward\$5 or route or routing or routed) near4 ((append\$5 or attach\$6))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:18
S164	3	((transfer\$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) and ((transfer\$5 or forward\$5 or route or routing or routed) near4 ((append\$5 or attach\$6))) same (without near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:19
S165	4	((transfer\$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) and ((transfer\$5 or forward\$5 or route or routing or routed) near4 ((append\$5 or attach\$6))) same ((exclu\$6 or remov\$3 or delet\$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:21
S166	10	((transfer\$5 or forward\$5 or route or routing or routed) near3 (e-mail or mail or email)) and ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed) near4 ((append\$5 or attach\$6))) same ((exclu\$6 or remov\$3 or delet\$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:21

S167	10	((transfer\$5 or forward\$5 or route or routing or routed) near3 (fax or facsimile or e-mail or mail or email)) and ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed) near4 ((append\$5 or attach\$6))) same ((exclu\$6 or remov\$3 or delet\$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:23
S168	29	((transfer\$5 or forward\$5 or route or routing or routed) near3 (fax or facsimile or e-mail or mail or email)) and ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed) near4 ((image or append\$5 or attach\$6))) same ((exclu\$6 or remov\$3 or delet\$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:24
S169	42	((transfer\$5 or forward\$5 or route or routing or routed) near3 (fax or facsimile or e-mail or mail or email)) and ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed) near4 ((data))) same ((exclu\$6 or remov\$3 or delet\$5 or without) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:26

S170	65	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile or e-mail or mail or email)) and ((send\$3 or transmi\$7 or transfer \$5 or forward\$5 or route or routing or routed or relay\$5) near4 ((image or picture or attach\$6 or append\$5 or data))) same ((exclu \$6 or remov\$3 or delet\$5 or without or ignor\$5) near4 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/13 13:34
S171	2	"6658456".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:43
S172	1	"6658456".pn. and (internet with (fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:43
S173	0	"6658456".pn. and (email near3 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S174	0	"6658456".pn. and (e-mail near3 body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S175	0	"6658456".pn. and (e-mail same body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S176	1	"6658456".pn. and (body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:46
S177	1	"6658456".pn. and (main with text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:47

S178	1	"6658456".pn. and (main adj2 part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:47
S179	1	"6658456".pn. and (main adj2 part same append\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 09:47
S180	1	"6363412".pn. and body	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:17
S181	1	"6363412".pn. and body same (necess \$7 or unnecess\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:20
S182	1	"6363412".pn. and server with (stor\$5 or memory) with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:37
S183	1	"6363412".pn. and divi\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 10:49
S184	62	"236541"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S185	1	"236541" and mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S186	0	"236541" and email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S187	1	"236541" and e-mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:01
S188	4	"7183824"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:02
S189	1	"8139747"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 11:02

S190	4	"006530".ap. and conver\$56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:20
S191	1	"006530".ap. and "s605"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:22
S192	3	"006530".ap. and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:24
S193	1	"6658456".pn. and st1005	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:31
S194	2	"6157706".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:41
S195	1	"6157706".pn. and conver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:42
S196	0	"6157706".pn. and cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:49
S197	0	"6157706".pn. and coverpage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:49
S198	1	"6157706".pn. and number adj2 page	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:49
S199	1	"6157706".pn. and recipient adj2 database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:50
S200	1	"006530".ap. and "s603"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:52

S201	106	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) same ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near4 (email or mail or e-mail) near4 (attach\$7 or append\$5 or past\$5 or insert\$5)) and ((conver\$5 or transform\$5 or chang\$3) with (fax or facsimile) with (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 12:59
S202	0	S201 and ((configur\$5 or register\$5 or sav\$3) same (attach\$7 or append\$5 or past\$5 or insert\$5) same ((only or without or "with" or inclu\$5 or exclu\$6) near4 ((first or front or cover) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:01
S203	0	S201 and ((configur\$5 or register\$5 or sav\$3) same (attach\$7 or append\$5 or past\$5 or insert\$5) same ((only or without or "with" or inclu\$5 or exclu\$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:02

S204	185	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) same ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near4 (email or mail or e-mail) same (attach\$7 or append\$5 or past\$5 or insert\$5)) and ((conver\$5 or transform\$5 or chang\$3) with (fax or facsimile) with (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:02
S205	200	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) same ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near4 (email or mail or e-mail) same (attach\$7 or append\$5 or past\$5 or insert\$5)) and (((format\$5 or conver\$5 or transform\$5 or chang\$3) with (fax or facsimile) with (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:03
S206	1	S205 and ((configur\$5 or register\$5 or sav\$3) same (attach\$7 or append\$5 or past\$5 or insert\$5) same ((only or without or "with" or inclu\$5 or exclu\$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:05

S207	333	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) same ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near4 (email or mail or e-mail) same (attach\$7 or append\$5 or past\$5 or insert\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:06
S208	2	S207 and ((configur\$5 or register\$5 or sav\$3) same (attach\$7 or append\$5 or past\$5 or insert\$5) same ((only or without or "with" or inclu\$5 or exclu\$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:06
S209	744	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or receiv\$5 or recept\$5) near3 (fax or facsimile)) same ((send\$3 or transmi\$7 or transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near4 (email or mail or e-mail) same (attach\$7 or append\$5 or past\$5 or insert\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:07

S210	22	S209 and ((configur\$5 or register\$5 or sav\$3 or option\$5) same (attach\$7 or append\$5 or past\$5 or insert\$5) same ((only or without or "with" or inclu\$5 or exclu\$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:08
S211	3	S209 and ((configur\$5 or register\$5 or sav\$3 or option\$5) same (transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same ((only or without or "with" or inclu\$5 or exclu\$6) near4 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:10
S212	0	S209 and ((configur\$5 or register\$5 or sav\$3 or option\$5 or setting) same ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 ((first or front or cover or some or last) adj2 page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:13
S213	0	S209 and ((configur\$5 or register\$5 or sav\$3 or option\$5 or setting) same ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 ((first or front or cover or some or last) adj2 (image or document or original or page))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:13

S214	8	S209 and ((configur\$5 or register\$5 or sav\$3 or option\$5 or setting) same ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((first or front or cover or some or last) adj2 (image or document or original or page))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:14
S215	30	S209 and (((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((cover) adj2 (image or document or original or page))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:20
S216	30	S209 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((cover) adj2 (image or document or original or page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:20
S217	6	S209 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((cover) adj2 (image or document or original or page))) same (prefer\$5 or select\$5 or choos\$3 or designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:21

S218	30	S209 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((cover) adj2 (image or document or original or page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:22
S219	18	S209 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((cover) adj2 (image or document or original or page))) same only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:22
S220	3	S209 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((color) adj2 (image or document or original or page))) same only	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:24
S221	0	S209 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((monochrom\$6) adj2 (image or document or original or page))) same (destination near4 (monochrom\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:25

S222	3991	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or receiv\$5 or receipt\$5) near3 ((fax or facsimile)) same ((send\$3 or transmi\$7 or transfer \$5 or forward\$5 or route or routing or routed or relay\$5) near4 (email or mail or e-mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:36
S223	0	S222 and ((transfer \$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append \$5 or past\$5 or insert \$5) near3 ((monochrom\$6) adj2 (image or document or original or page))) same (destination near4 (monochrom\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:37
S224	1	S222 and ((transfer \$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append \$5 or past\$5 or insert \$5) near3 ((some or select\$5 or chosen or designat\$5) adj2 (page))) same (destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:38
S225	11	S222 and ((transfer \$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append \$5 or past\$5 or insert \$5) near3 ((some or select\$5 or chosen or designat\$5) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:38

S226	67	S222 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((cover or main or some or select\$5 or chosen or designat\$5) near2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:40
S227	49	S222 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) near3 ((cover or main or some or select\$5 or chosen or designat\$5) near2 (page))) not mongo\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:42
S228	0	S222 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or attach\$7 or append\$5 or past\$5 or insert\$5) same (mode or option\$5 or configur\$5 or setting or register\$6) same (without near4 (cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:46
S229	0	S222 and ((mode or option\$5 or configur\$5 or setting or register\$6) same (without near4 (cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:46
S230	0	S222 and ((mode or option\$5 or configur\$5 or setting or register\$6) same ((exclu\$5 or without) near4 (cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:47

S231	0	S222 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same ((exclu\$5 or without) near4 (cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:47
S232	0	S222 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same ((exclu\$5 or without) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:48
S233	0	S222 and (((exclu\$5 or without) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:48
S234	2	S222 and (((exclu\$5 or without) near4 (header or front or title or cover) adj2 (image or page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:48
S235	11224	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:49
S236	1	S235 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same ((exclu\$5 or without) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:49
S237	4	S235 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or transmi\$7 or send\$3) same ((exclu\$5 or without) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:52

S238	0	S235 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or transmi\$7 or send\$3) same ((delet\$5 or eras\$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:53
S239	5	S235 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or transmi\$7 or send\$3) same ((delet\$5 or eras\$5 or remov\$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:54
S240	29	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) and ((receiv\$5) near4 cover adj2 (page or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:56
S241	47	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) and ((receiv\$5) near4 (header or front or title or cover) adj2 (page or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:57
S242	2	S241 and ((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or transmi\$7 or send\$3) same ((exclu\$5 or without or delet\$5 or eras\$5 or remov\$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:57

S243	95	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) same (header or front or title or cover) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:59
S244	4	S243 and ((transfer \$5 or forward\$5 or route or routing or routed or relay\$5 or transmi\$7 or send \$3) same ((exclu\$5 or without or delet\$5 or eras\$5 or remov \$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 13:59
S245	4	S243 and (((exclu\$5 or without or delet\$5 or eras\$5 or remov \$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:01
S246	0	S243 and (((exclu\$5 or without or delet\$5 or eras\$5 or remov \$5) near4 (unnecessary) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:02
S247	5	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) same (unnecessary) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:02
S248	570	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) near3 (fax or facsimile)) and (header or front or title or cover) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:03

S249	0	S248 and (((exclu\$5 or without or delet\$5 or eras\$5 or remov\$5) near4 (unnecessary) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:03
S250	8	S248 and (((exclu\$5 or without or delet\$5 or eras\$5 or remov\$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:03
S251	452	((server) near3 (fax or facsimile)) and (header or front or title or cover) adj2 (page or image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:05
S252	9	S251 and (((exclu\$5 or without or delet\$5 or eras\$5 or remov\$5) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:05
S253	11	S251 and (((only) near4 (header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:06
S254	5	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) near3 (fax or facsimile)) and ((delet\$5 or eras\$5 or remov\$5) near4 (header or front or title or cover) adj2 (page or image)) and (((fax or facsimile) same (receiv\$5 or receipt\$5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:09

S255	46	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) near3 (image or document)) and ((delet\$5 or eras\$5 or remov\$5) near4 (header or front or title or cover) adj2 (page or image)) and ((receiv\$5 or receipt \$5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:11
S256	56	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) same (fax or facsimile or image or document)) and ((delet\$5 or eras\$5 or remov\$5) near4 (header or front or title or cover) adj2 (page or image)) and ((receiv\$5 or receipt \$5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:14
S257	141	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) same (fax or facsimile or image or document)) and (((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or transmi\$7 or send\$3) near4 (header or front or title or cover) adj2 (page or image)) same (option\$5 or mode or select\$5 or choos\$3 or designat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:16

		\$5 or register\$5)) and ((receiv\$5 or receipt\$5) same ((header or front or title or cover) adj2 (page or image)))				
S258	717	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) same (fax or facsimile or image or document)) and ((header or front or title or cover) adj2 (page or image) with (option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) and ((receiv\$5 or receipt\$5) same ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:17
S259	87	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) same (fax or facsimile or image or document)) and ((header or front or title or cover) adj2 (page or image) with (option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) and ((receiv\$5 or receipt\$5) same ((header or front or title or cover) adj2 (page or image))) and (without with ((header or front or title or cover) adj2 (page or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:18

S260	40	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) same (fax or facsimile or image or document)) and ((header or front or title or cover) adj2 (page) with (option \$5 or mode or select \$5 or choos\$3 or designat\$5 or register\$5)) and ((receiv\$5 or receipt \$5) same ((header or front or title or cover) adj2 (page or image))) and (without with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:18
S261	13	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5 or server) same (fax or facsimile or image or document)) and ((option\$5 or mode or select\$5 or choos \$3 or designat\$5 or register\$5)) same ((receiv\$5 or receipt \$5) with ((header or front or title or cover) adj2 (page))) and ((option\$5 or mode or select\$5 or choos \$3 or designat\$5 or register\$5)) same ((receiv\$5 or receipt \$5) with ((main or body or text) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:29

S262	2	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same ((receiv\$5 or receipt\$5) near4 (page or document or image))) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) same ((receiv\$5 or receipt\$5) with ((header or front or title or cover) adj2 (page))) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) same ((receiv\$5 or receipt\$5) with ((main or body or text) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:32
S263	16	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) and ((receiv\$5 or receipt\$5) near4 (page or document or image))) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) same ((receiv\$5 or receipt\$5) with ((header or front or title or cover) adj2 (page))) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) same ((receiv\$5 or receipt\$5) with ((main or body or text) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:33

S264	103	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) and ((receiv\$5 or receipt\$5) near4 (page or document or image))) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) same (user or recipient) same ((receiv\$5 or receipt\$5) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:36
S265	33	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same (fax or facsimile) and ((receiv\$5 or receipt\$5) near4 (page or document or image))) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) same (user or recipient) same ((receiv\$5 or receipt\$5) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:36
S266	12	((fax or facsimile) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5)) with (user or recipient) with ((receiv\$5 or receipt\$5) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:44

S267	310	((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (user or recipient) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:53
S268	35	((fax or facsimile) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (recipient) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:53
S269	161	((fax or facsimile) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (recipient or receiving or receiver or destination) with ((header or front or title or cover) adj2 (page)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:56
S270	68	((fax or facsimile) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (receiving or receiver or destination) with ((header or front or title or cover) adj2 (page))) and "358". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 14:56
S271	2	((fax or facsimile) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (receiving or receiver or destination) with ((text\$5) adj2 (page))) and "358". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 15:06

S272	15	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same (fax or facsimile)) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (recipient or receiving or receiver or destination) with ((text\$5 or graphic or photograph\$5) adj2 (page or image))) and ((recipient or receiving or receiver or destination) same (capability or able or ability or capable or compatible) same (text\$5 or graphic or photograph\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 15:09
S273	781	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same (fax or facsimile)) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (recipient or receiving or receiver or destination) with ((text\$5 or graphic or photograph\$5 or format\$5))) and ((recipient or receiving or receiver or destination) same (capability or able or ability or capable or compatible) same (format\$5 or text\$5 or graphic or photograph\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 15:10

S274	1	((transfer\$5 or forward\$5 or route or routing or routed or relay\$5) same (fax or facsimile)) and ((option\$5 or mode or select\$5 or choos\$3 or designat\$5 or register\$5) with (transfer\$5 or forward\$5 or route or routing or routed or relay\$5) with ((text\$5 or graphic or photograph\$5 or format\$5) adj2 page)) and ((recipient or receiving or receiver or destination) same (capability or able or ability or capable or compatible) same (format\$5 or text\$5 or graphic or photograph\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/16 15:12
------	---	--	--	----	----	---------------------

EAST Search History (Interference)

<This search history is empty>

2/21/10 10:11:48 AM**C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10006530.020410.wsp**